MINERAL SURVEY No. 3761

ARIZONA Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF New Comstock Mining Company O. W. Herndon, Atty KNOWN AS THE Lady Bright No. 1 lode San Francisco Mining District, Mohave County, Arizona Section 7 & 8 , Township 21 N. , Range 20 W. Surveyed under instructions dated April 13 , 1921 by L. H. Foster U. S. Mineral Surveyor. Claim located Sec location notice, 19 19 Survey commenced June 18 , 19 21 Survey completed June 19 _____, 19 21 Atty, C.W. Herndon Address of claimant's Kingman, Arizona DATES OF AMENDED LOCATIONS.

Lady Bright No. I lede, cont,

Feet

Lady Bright No. 1 lode

a ni , b worth callegianing Cor. No. I. ov to the all the lien

A redwood post, 4 ins. square, 4 ft. long, with a

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set 12 ins. in the ground, in a mound of earth and stone, scribed LB-I-I-3761.

The .I/4 corner .between sections 7 & 8, T. 2I N. R.

Cor. I. the pus

the course

20 W. bears N. 81° 20° W. 349.53 ft. Identical with the location.

Thence S. 5° 38' W.

ercifoss to zente Cross gulch, running S. 60° W. 5.00

To the easterly end center post of the location 341.47

682.94 To Cor. No. 2.

No suitable testing A cross cut on a granite outcrop and marked - atomico LLs da nbidei LB-1-2-3671.

Identical with the location and with Cor. No. 2 Beuleeard lode, Sur. No. 1368.

- value treasure mout bea Thence N. 550 50' W. a.

the weight in this claim extends 335.79

Intersect line between sections 7 & 8 at S. 0° 02' W. 553.67 ft. and N. 0° 02' E. 2087.53 ft. from the I/4 corner between sections 7 & 8 and the corner of sections 7-8-18-17, respectively.

630.00

Cross gulch running S. 60° W.

1220

Cross gulch running south.

1302.77 Dalouse To Cor. No. 2 3. 1 2001 at yours state

A cross cut on a ryolite outcrop on the north edge of a small gulch and marked LB-I-3-376I.

Identical with the location and with Cor. No. I Beuleeard lode, Cor. No. 4, Minnie lode and Cor. No. 4 Lady Bright lode, all of survey No. 1368.

Thence N. 5° 38" E.

341.47 To the westerly end center post of the location.

682.94 To Cor. No. 4. cady Bright No I beds

Lady Bright No. I lode, cont,

A redwood post, 4 ins. square, 4 ft. long, with a nail at the exact corner, set I5 ins. in the ground, in a mound of earth and stone, scribed LB-I-4-3671.

s ni , broom e Identical with the location and the filen

. Idy -1-1-11 bediron enote bos dires to bound

.T . 6 % ome at sea Thence S. 155% 50 E. adT

Intersect line between sections 7 & 8 at North 884.19 182.28 ft. and South 2454.72 ft. from the 1/4 corner between sections 7 & 8 and the corner of sections 5-6-7-8 Cross taloh running 5, 60° respectively. 341.67

To Cor. I, the place of beginning. 1302.77

t. from the I/4

sciions

No suitable bearing objects available.

Variation at all corners - 15° 30' E.

dentical with the location and with Cor. No. 2

LODE LINE . THE . . SOI bressined

As near as can be determined from present developments the course of the vein in this claim extends as internect line between nections follows: -

N. 55° 56' W. 1133.77 ft. and S. 55° 50 E.169 between secti ft. from the discovery cut.

wose guldh running S 60°

LOCATION INDUIT MOLUG BROWN

This survey is located in the San Francisco . Soll Mining District, Mohave County, Arizona in sections 5-7-8-8 T. 21 N. R. 20 W. From best deling theme a to

Identical with the location and with Cor. No. I * Benlesard lode, Cor. No. 4, Minnie lode and Cor. No. 4

lady Bright lode, all of currey so. 1368.

Lady Bright No. I lode ---- 17.944 Acres

662 94

49.806 A. Ser. No. 4.

Five Hundred Dollars Improvements

ode Sur Jo. I hereby certify that the value of the labor and improvements made upon this claim by the Claimant or its grantor is not less than Five Hundred Dollars and consists of the following;ne that the two corners abo

laport, cent,

No. I - The discovery cut, a ten foot face, 4 ft. wide, extending South I5 ft. to its mouth. The center of the face is on the lode line at I69 ft. from the easterly end center. system of courses or distances.

value -----\$50.00

No. 2 - The face of a cut, II ft. face, 4 ft. wide extending N. 25° W. If ft. to its mouth, thence from the face, a tunnel, 4 by 6 ft. running S. 25° E. 32 ft, thence South 30 ft. The center of the face bears N. 23° W. 410 ft. from Cor. No. 2.0 has gained by

where sit we saw set no behance at your side and

Bright lode and south by the Beulerard lode, Bur.

Other Improvements No. I A cut with a IO ft. face, 4 ft. wide, extending N. I5° W. I5 ft., from the face, a tunnel runs S. I5° E. I9 ft. thence S. 55° E. 60 ft. The center of the face bears N. 34° W. 450 ft. from Cor. No. 2

Instrument and Meridian

This survey was made with a Berger and Sons Mining transit and a 500 and I00 ft. steel tape.

The Meridian was determined by direct observation on the sun.

REPORT

The side and end lines and all other lines were run direct on the ground.

The section corners tied to in this survey are

i

biw .f.

Report, cont,

iron pipes, firmly set and properly marked.

cors. No. I and 2, Beuleeard lode, Sur. No. I368 are the only corners in said survey that seem to be in place. Prior to the time of this survey, I tried to retrace the lines of Sur. No. I368 and it is evident to me that the two corners above mentioned are the only corners ever set as the topography as given in the field notes does not agree at any point and the monuments found were the original location monuments and do not agree with any system of courses or distances.

The west end line of the claim in this survey is identical, as near as can be determined, with the east end line of the Lady Bright lode.

Adjoining and Conflicting Claims

This survey is bounded on the west by the Lady Bright lode and south by the Beuleeard lode, Sur. No. 1368 and on the north and east by Public Domain.

There are no known conflicts.

U. S. Mineral Surveyor.

Kingman Arizona.

Io rathee ent . tt 60 . Te eenter of

SAP M. ASO ft. from Cor. .. .

it from the face, a tunnel runs

maintral and transforI

This survey was made with a Berger and Sons

.aged forde .fr OOL bas 000 a bas disarro grinia

The Meridian was determined by direct observation

on the sun.

The side and times and all other times were

ran direct on the ground.

ere verture sirit mi ed held stemmoo meldona end

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employ	yed by L. H. Foster
	nning, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes	of the survey of the mining claim of
	ning Company
known as the Lady Bright No. 1	lode'
and showing the respective capacities in which the	ney acted.
	R. C. Everhart , Chainman.
	XXXXXXXXXXXXXXXXX, Chainman.
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
FINAL OATHS	OF ASSISTANTS.
T D // Werenhame	
	T
and XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	do solemnly swear that ** assisted
L. H. Foster , United States 1	Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of	New Comstock Mining Company
known as the Lady Bright No.	I lode
	g been surveyed by said mineral surveyor and under his
	spects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundar	ry monuments established according to law and the instruc-
tions furnished by the United States Surveyor-Gen	neral for Arizona
	R. C. Everhart Chainman.
	Chainman.
	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	* ***********************************
	J. C.
Subscribed and sworn to by t	he above-named persons before me this
day of June	U 102/ 01
	Tomi L. Wallace
Man Commence	L'alay Public 21013
My Commission July 2-195	on and for Mohas
	state of arisons

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, L. H. Foster	, U. S. Mineral Surveyor,				
do solemnly swear that, in pursuance of inst					
Surveyor General for Arizona	, dated				
April 13 , 1921 , , , I l					
United States, the official regulations and ins					
of said Surveyor General, faithfully and corr	ectly executed the survey of the Mining				
Claim of New Comstock Mini					
	, known as the				
Ledy Bright No. 1 lo	de				
situate in San Francisco M					
Mohave Cou					
7 & 8 , Township No. 21 N. , Range					
and designated as Survey No. 376I					
in the foregoing field notes, which accurately					
as distinctly marked by monuments on the gr					
of the location certificate, which was received					
said instructions, and that all the corners of sa					
petuated in strict accordance with the law, of					
under; and I do further solemnly swear that					
field notes of said survey and my report th					
improvements made upon said mining claim b					
are as therein fully stated, and that the char-	acter, extent, location, and itemized value				
thereof are specified therein with particularity	and full detail, and that no portion of				
said labor or improvements so credited to this claim has been included in the estimate					
of expenditures upon any other claim.					
·					
	N. Joset.				
	U. S. Mineral Surveyor.				
7	W. Foster				
Subscribed and sworn to by the said	W. Josles				
U. S. Mineral Surveyor, before me	- 7/				
	this 282				
day of	0				
	In 5. Wallace				
0 81044	Molary Public Caroly, State of any				
Commeson -162h	in and for mohose Carrely,				
Expus guly 2 - 2	State of angona				
	0				

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	- Phoenix, Arizona,	
	September	27 , 1 921.
I, U. S. Surveyor Genera	al forDISTRICT_OF_ARIZONA	,
do hereby certify that the fo	regoing transcript of the Field Notes,	return and approval
of the Survey of the mining	claim of	
	NEW COMSTOCK MINING COMPANY	
, known as the	LADY BRIGHT No. 1 LOD	E ,
	, situate in SAN FRANCIS	30.0.
	District, MOHAVE	
ARIZONA	, in Sections 7 & 8 , T	Cownship No. 21 N.
	RB&M, and	
mining claim as will, if incommon and that such reference is more will perpetuate and fix the least and I further certify the or improvements made upon that said improvements con \$725.00	Field Notes furnish such an accurate proporated into a patent, serve fully to it ade therein to natural objects or permocus thereof. That five hundred dollars' worth of labout said mining claim by claimant or asist of 2 cuts and 1 tunnel.	te description of said identify the premises, nament monuments as or has been expended its grantors, and total value

expenditures upon any other. I further certify that the	labor or improvements has been incluer claim. The plat thereof, filed in the U.S. Land Correct and in conformity with the foregoing.	oded in the estimate of Office at Phoenix
Arizona, is co		
	Frank P. T	
	United States Surveyor General for Ari ZON	A STATE OF THE PARTY OF THE PAR

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix, Arizona,				
			Septer	nber 27	, 1921
I, U. S. Surveyor	General for	DISTRIC	T OF ARIZO)NA,	
do hereby certify that	the foregoing and h	ereto attached	Field Notes and	l Return of the	Survey of the
Mining Claim of					
	NEW CONST	ock mining	COMPANY,		
				·,	known as the
	LADY BR	IGHT NO. 1	LODE,		
situate in	SAN	FRANCISCO	•	m	nining district,
MOHAVE		County,		Α	RIZONA,
in Sections 7 & 8	, Towns	ship No21		., Range No	20 W.,
G & S R B & M	designated as Survey	No3	761		
executed by	ь. н.	Foster		,	U. S. Mineral
Surveyor,	June 18-19		, 19 21	, under my inst	ructions dated
April 13,	, J	921, have been	n critically exa	mined and the	necessary cor-
rections and explanati	ions made, and the s	aid Field Notes	and Return, a	nd the Survey	they describe,
are hereby approved.	The certified copy of	of the location c	ertificate filed l	by the applicant	for survey is
on file in this office and	d a true copy of said	certified copy of	said location co	ertificate is inclu	ded and made
a part of the transcrip	ot of the field notes.				
		Att	mille	A Tro	

U. S. Surveyor General for Arizona.